




PAH UNDER REQUIRED THRESHOLDS

CENON

REF. 97.0.000

REGISTERED DESIGN





Disposable knife total safety 3 function in 1

Disposable safety knife in composite material to cut shrink-wrapped packages and plastic straps.

MAXIMAL SAFETY
No blade contact .

ERGONOMIQUE / AMBIDEXTRE / LÉGER / CONFORT GESTUEL / EVITE LES TMS



- Knives to cut plastic packaging films
- Knives to cut packaging adhesives
- Knives to cut packaging straps
- Knives to cut thick straps
- Knives to cut thick sheets



CENON

REF. 97.0.000



FUNCTIONALITY

FUNCTION

Made to improve the opening of cardboards and to cut threats, plastic packaging films, packaging straps and tear packaging adhesives.

OPERATING PRINCIPLE

Disposable safety knife with fixed blade.
Enter the sharpened part of the knife into the desired area and move the knife to cut the support.
To cut plastic packaging straps, do not cut in the front but sideway under a 30° until 40° angle.

CUTTING DEPTH ADJUSTMENT

No.

APPROVAL

Registered design n°665123.
Certified TÜV n° Z1A130383194002.

USERS

Storekeepers, receivers, warehousemen, etc.
Warehouse, reception area, stores,...

FEATURES

Safety knife with fixed blade.
Customized marking possible.
Good value for money.

ASSETS

Ergonomic.
Gesture comfort.
Avoid musculoskeletal disorders.
Light.
No blade contact.
Easy use for both right and left-handers.

THE PAH CONTENT UNDER REQUIRED THRESHOLDS.

ACCESSORIES

ZICOU REF. 01.0.000

Retractable fastener with one meter long retractable belt chain.

Allow to hang tools on the user's belt without losing risk nor congestion in the pocket.
It can stand until 80g.



CENON REF. 97.0.000

DESCRIPTION

Packaging	Weight PKG	Length x Width x Thickness	Quantity PKG	Component	Accessories	Material	Colours
IN BULK	19 g	147 x 35 x 10	10	3 pieces	Body	Polypropylene (PP)	Orange
CARD-BASED	46 g	240 x 120 x 11	10		Overmolded blade	Premium quality steel	Grey metal
					Overmolded insert	Stainless Steel not sharp	Grey metal

TECHNICAL PLAN

